

MODULE

School Health

Degree Program
For the Ethiopian Health Center Team



**Ethiopia Public Health
Training Initiative**

Abraham Alano B.S., M.P.H.; Henock Ambachew, B.S.;
Dejene Hailu B.Sc.; M.A., Takele Tilaye, M.D.;
and Wossen Tafere, B.Sc.

Debu University

In collaboration with the Ethiopia Public Health Training Initiative, The Carter Center,
the Ethiopia Ministry of Health, and the Ethiopia Ministry of Education

2005



Funded under USAID Cooperative Agreement No. 663-A-00-00-0358-00.

Produced in collaboration with the Ethiopia Public Health Training Initiative, The Carter Center, the Ethiopia Ministry of Health, and the Ethiopia Ministry of Education.

Important Guidelines for Printing and Photocopying

Limited permission is granted free of charge to print or photocopy all pages of this publication for educational, not-for-profit use by health care workers, students or faculty. All copies must retain all author credits and copyright notices included in the original document. Under no circumstances is it permissible to sell or distribute on a commercial basis, or to claim authorship of, copies of material reproduced from this publication.

©2005 Abraham Alano, Henock Ambachew, Dejene Hailu, Takele Tilaye, and Wossen Tafere

All rights reserved. Except as expressly provided above, no part of this publication may be reproduced or transmitted in any form or by any means, electronic or mechanical, including photocopying, recording, or by any information storage and retrieval system, without written permission of the author or authors.

This material is intended for educational use only by practicing health care workers or students and faculty in a health care field.

ACKNOWLEDGMENTS

The authors would like to thank, in particular, The Carter Centre for their financial and material support. The authors are grateful to all staffs at The Carter Centre, for their unfolding assistance through out the preparation processes of this module.

We would like to extend our gratitude to staffs of Awassa College of Health Sciences who in one or another way have made significant contributions towards the development of this module to its present level.

Our gratitude also goes to all the local and international reviewers who shared their useful ideas with us. Their constructive comments and suggestions were very much valuable.

Finally, we are very much pleased to address our acknowledgements to W/t Meaza Teferi who tirelessly dedicated her precious time to write the manuscript.

TABLE OF CONTENTS

| Content | Page |
|---|------|
| Acknowledgement | i |
| Table of contents | ii |
| UNIT ONE: Introduction | 1 |
| 1.1. Purpose and use of this module..... | 1 |
| 1.2. Direction for using this module..... | 1 |
| UNIT TWO: Core module | 2 |
| 2.1. Pre-Test | 2 |
| 2.2. Significance and brief description about school health | 4 |
| 2.3. Learning objectives | 5 |
| 2.4. Case study | 6 |
| 2.5. Health and health related aspects of school health | 7 |
| 2.6. Ways to resolve school health related problems | 18 |
| 2.7. Post-test | 25 |
| UNIT THREE: Satellite modules | 27 |
| 3.1. Public health officers | 27 |
| 3.2. Nurses | 34 |
| 3.3. Environmental health officers | 47 |
| 3.4. Medical Laboratory Technologists | 57 |
| 3.5. Health Extension Package | 71 |
| UNIT FOUR: Roles and task analysis | 77 |
| References | 81 |
| Answer key | 82 |

UNIT ONE

INTRODUCTION

1.1. Purpose and use of the module

Almost all higher institutions in Ethiopia are promoting community based practical education and development of problem solving skill approaches. However the shortage of adequate reference materials in the majority institutions is one of the main problems which make the teaching-learning process ineffective. Hence preparation of teaching materials is invaluable to alleviate the soaring problem of the teaching- learning process.

The purpose of this module is to enable students develop their knowledge, attitude and problem solving skills through interactive and participatory learning. This module will help the health professionals at degree level comprised of public health officers, environmental health officers, nurses, and medical laboratory technologists, to look the problems of the school environment from different angles and for their effective team work.

For this reason separate satellite modules are prepared for each professional category based on the tasks expected from them. This module can also be used for in-service training and quick reference of other health professionals, but it isn't intended to replace standard text books or other reference materials.

1.2. Direction for using the module

Before starting to read this module, follow the directions given below:

1. Go through all the contents of the core module by starting with the pre-test
2. Uses a separate answer sheet paper and label it" pre-test answers"
3. Read thoroughly the information in the core module
4. Do the post test.
5. Look the answer keys in the appendix and evaluate your knowledge
6. Proceed to read the satellite module corresponding to your profession
7. Use further references, if needed, for additional information on the subject.

UNIT TWO

CORE MODULE

(FOR THE TEAM OF PUBLIC HEALTH OFFICERS, NURSES, ENVIRONMENTAL HEALTH OFFICERS AND MEDICAL LABORATORY TECHNOLOGISTS)

2.1. Pre-test:

2.1.1. Questions for all categories of health professionals.

Answer the following questions and write your answers on a separate answer sheet.

2.1.1.1. Choose the best answer from the given alternatives.

1. Which one of the following is true about the location of the school?
 - A. the location of the school isn't important in school health
 - B. schools built near to the road aren't associated with any danger to the students.
 - C. all sites are equally good to build a school
 - D. the distance of the school should be near to the community being served
 - E. C and D
2. One of the following infectious diseases may affect school children by spreading through faecal-oral route
 - A. amoebic dysentery
 - B. cholera
 - C. malaria
 - D. A and B
 - E. all
3. Which of these physical aspects of the school environment influence the physical and mental health of the school children?
 - A. sanitation
 - B. hazardous location

- C. inadequate furniture
 - D. dangerous structure
 - E. all
4. The principles which must be considered as priority issues to create healthy school environment are
- A. keeping the compound clean of faecal material and waste;
 - B. providing or restoring toilets and keeping them clean;
 - C. providing convenient hand washing facilities and encouraging their use;
 - D. providing safe drinking-water.
 - E. all
5. To make the physical environment of a school healthier, one needs to have:
- A. informed and responsible pupils
 - B. regular supervision of young children
 - C. a fence, to stop animals and outsiders from defecating in the compound
 - D. conveniently located toilets
 - E. all

2.1.1.2. Write “true” if the statement is correct or” false” if it is wrong for the following questions.

1. The physical and mental health of school children can be influenced by the sanitation of the school environment.
2. High level noise may cause irritation and reduces the physical and mental performance of pupils.
3. Hand washing arrangements should be available in schools
4. School could provide the most cost-effective means to improve the health of children.
5. The structural design of a school building has no influence on the health of children.

2.1.1.3. Give short answers for the following questions

1. What is the goal of school health service?
2. Why school health service is essential?
3. What are the possible health related problems encountered in schools?

2.2. Significance and brief description of school health service

“More children than ever before are attending school, and for longer period in their lives. Therefore, schools in virtually every nation could do more than any other single institutions to improve the well-being and competence of children and youth. Yet the evidence suggests that schools around the world have difficulty meeting critical physical, mental, and social health needs of children and youth.”(1)

An effective and respected school health service provides invaluable support for our schools in order that we may achieve our collective goals promoting healthier environments. Together we support the right of children to enjoy a level of health that helps them to make the most educational opportunities open to them, to achieve their full potential. "Schools could provide the most cost-effective means to improve the health of children and thus to advance social and economical development.”(1)The health and well-being of children is a fundamental issue in education. Indeed, active promotion of health is now seen as a priority for schools. In countries around the world including Ethiopia the issue is being addressed through school health services, health education and school meal programmes. Although the physical environment in schools is now seen as one of the major elements of health promotion, relatively little work has so far been done on the relationship between this physical environment and the health of school children. This is particularly true with respect to schools in low-income communities like Ethiopia through identifying the key objectives for achieving a healthy school environment, but not to prescribe solutions. For this it aims to:

- Raise awareness and understanding of the health impact on children of the physical environment of schools.

- Increase the priority given to developing environments in schools that promote health
- Define areas where interventions are feasible and suggest what can be done and how particularly under difficult conditions and within severe budgetary constraints.

Objectives of school health service include:

1. To build schools on modern sanitary lines.
2. To appoint suitable medical inspectors or school medical officers.
3. To make provision of an adequate system of medical inspection and screening of all children and suggest the possible remedies.
4. To establish school clinics
5. To segregate cases of infectious disease and establish centres for the prevention of spread of these diseases.
6. To provide nutritional service e.g. through mid-day meals, specially in kindergarten
7. To provide the practice of hygiene and healthy living to students both in school and at home
8. Provision of special methods of education for children who happen to be disabled in body or in mind
9. Accident prevention

2.3. Learning objectives

Upon completion of the module, the reader will be able to:

1. Identify the main health related problems that may occur in school compound
2. Analyze the association between the physical and mental dimensions of health with the environment.
3. List those physical aspects which may influence the health of the children.
4. Design how to create safe physical environment for school children.,

2.4. Case Study

Tulla elementary school is located in Awassa Zuria Woreda. It was established 25 years back. Based on the new education policy it now gives basic education to first cycle primary school students from grade 1-4. The school delivers a whole day teaching for nearly 1000 students.

The school is located next to the main road where buses and taxis stop. The noise from the vehicles and the pedestrian is audible to most of the classrooms. The fence of the school has fallen down in more than 50% of the boundary. The residents from the nearby village have free access to the school compound. In addition domestic animals usually spend most of their times in the students play ground.

There is only one toilet in the school compound and it is littered with faecal material. Students usually defecate in the field where they play during their break period. The school source of water is from a well near to the toilet but it is not functional. So all students have no access to hand washing facilities after visiting the toilet in the school compound. Small ponds are found here and there where water usually accumulates and children play with it. On the other side of the school, there located a river and part of the fence on its side has also fallen down. The students sometimes go for swimming.

There are ten classrooms and situated not far from the main gate. The maximum capacity of the class is to attain fifty students however there are no enough number of chairs in all classrooms. The school has got a chance to be repaired only once since its foundation 25 years ago. Due to this most chairs are broken and sometimes the students are forced to either sit on the floor or attend the class standing the whole period. . The wall is made of wood, mud and has only one non-functional window. Multiple holes are located in the walls of most of the buildings and a lot of dust particles are seen in the floor of most classrooms. Most of the corrugated iron sheets are old, rusted and allows light rays to pass.

2.4.1. List at least six health related problems and their solutions based on the information given in the above school.

2.5. Health and health related aspects of school

By the year 2010, there will be over 1680 million children between the ages of 5 and 14 years, out of which 87% will be living in developing countries. Children in this age group are 14 times more likely to die between their fifth and fifteenth birthdays than their age-mates in the industrialised market-economy countries (2). A range of physical aspects of the school environment can influence the physical and mental health of children. These can be listed as sanitation (or the lack of it); dirty hands; water quality; the microclimate; indoor air quality; noise; light (both too little and glare as a result of too much light); dangerous structures; inadequate furniture, and a hazardous location.

Added to these is the fact that, for many children, going to school is the first opportunity to mix with people other than close relatives and neighbours. Consequently, such situations may represent their first exposure to a range of infectious diseases.

It is widely recognised that schools can play an important role in promoting society's health. Much effort has been invested over recent years in health education techniques for schools in low-income communities, including child-to-child methods, curriculum development, and the productions of locally appropriate education materials.

However, the impact of the actual fabric and management of school premises on child health has been relatively neglected. Many schools fail to provide healthy environments for their pupils. Poorly designed and maintained schools can be a source of disease and ill health. Sick children also make poor learners.

It is therefore, in this concept tempting to suggest that all these problems are the products of poverty and that the answer is improved socio economic status of one's nation. Many developing countries can boast showpiece examples of good, clean, well-equipped schools - schools with in-house health services, pristine washrooms, well-tended grounds, and well-trained teachers working in classrooms equipped with computers, televisions and videos. For the lucky few these model schools are undoubtedly delivering a high quality of education in an environment conducive to physical and mental health. Where both money and focused attention is available, such things are possible. And there is no doubt that education does merit a larger share of the world's resources. But the evidence suggests that, aside from these showpiece examples, simply throwing more money at the problem does not necessarily result in sustainable solutions. Many examples exist where well-intentioned governments and donors have made significant investments in new and improved schools but with disappointing results.

2.5.1. Location of the School

In many cases the most dangerous aspect of a school is its location. When informal urban settlements grow up, the best land is generally taken at the outset for residential houses. Schools are often built on the least desirable land - for example, on the site of an old waste dump or in areas prone to flooding or subsidence. They are also often located on busy roads, increasing the risk of accidents, or at some distance from the community they are intended to serve. Size constraints at urban sites may result in overcrowding and inadequate space for exercise.

Standard school designs frequently make assumptions about the kind of site available. They require an area of flat land with specific minimum dimensions. Often, such a site can only be found a long way from where people actually live. This results in young children having to walk long distances, sometimes in the

rain, sometimes along busy roads, all of which can increase the hazards they face.

While little can be done about the location of an existing school, planners and community groups should consider this issue at an early stage in the development of a new school. The availability of water, for example, must be borne in mind. Moreover, even in the case of existing schools, improvements are possible. For example: footpaths and bridges can be built for getting to the school; hazardous waste can be removed from the site; efforts can be made to seal off the school from adjacent hazards such as rivers and gullies.

2.5.2. Design and Classroom Structure

Many countries, with the assistance of international aid, have focused on developing standard school and classroom designs. Yet results have often been poor either because their authors did not recognise that conditions on the ground are not standard, or because provision for complementary aspects such as water and sanitation facilities, security, furniture and maintenance were neglected. As well as protecting children and staff from the elements, the structure of a school building is intended to enhance health and well being. But badly designed or poorly maintained structures may in fact threaten health. Classrooms often require larger roof spans than traditional domestic buildings for example, and if domestic construction techniques are used for schools, they may prove to be inadequate, particularly in areas prone to earthquakes and typhoons.

External structures, such as concrete sports grounds, are often poorly built, with inadequate foundations. They are also, inevitably, exposed to the weather and so deteriorate rapidly. School grounds tend to be characterised by jagged lumps of subsiding concrete, wide cracks, broken steps and missing inspection covers. All these features are common sources of injury.

On a smaller scale, cracks and inaccessible corners may provide homes for hookworms, mites and jigger fleas, while dampness and poor ventilation may

lead to the growth of moulds and fungi. Broken windows, dilapidated steps, exposed nails, the lack of stair rails, missing inspection covers and other such hazards may cause injury. These points are illustrated by the following brief examples.

In one South American country in the 1970s a standard design for a rural classroom was developed which used a steel frame, concrete-block walls and asbestos-cement roofing sheets. The windows were large unglazed openings running the length of the room, on both sides, under a widely overhanging roof. The design was intended to maximise cross-ventilation in hot, tropical conditions. The design worked reasonably enough in the hot lowlands, but was also used for villages in the Andean highlands, for whose extreme mountain climate it was totally unsuited. When the sun shone, the thin roofing sheets heated up excessively. When cloudy, the lightweight construction and unglazed windows soon led to extreme cold. When windy, dry dust was blown into the classrooms making conditions intolerable. Elsewhere, the overhanging roof was useful for preventing overheating - provided the room was correctly orientated. But often the builders of the schools placed the classrooms with no consideration for correct orientation, rendering this design feature useless.

In the former Soviet Union the tradition and ideology of centralised planning led to the use of standard designs in many areas of social infrastructure, including schools. Designs, which were prepared for the temperate conditions of Eastern Europe, found their way to Siberia and central Asia. In the Pamir Mountains, at the extreme south of the former Soviet Union, schools were built in communities at altitudes exceeding 4000 m using these standard technologies. In one school with 1000 pupils, all the flush toilets froze and broke down every winter. Since the break-up of the Soviet Union, resources for repairs and basic maintenance have become unavailable. None of the toilets works. The staff and students of apparently modern, three-storey concrete schools have to defecate in appalling covered compounds, which serve as public toilets outside the school grounds.

In a West African country the World Bank financed a programme to design and build classrooms for secondary schools across the country. A standard design was used, which employed a high specification, including such items as suspended ceilings and well-equipped laboratory benches. When all the schools were visited, five years after their construction, a consistent picture emerged. In rural areas the classrooms were in good, in some cases immaculate condition, with pictures on the walls and flowerbeds outside. A pristine classroom was a matter of communal pride. Yet in urban schools, built at the same time to the same design, every fixture had been stripped. Suspended ceilings were gone, window and doorframes systematically removed, and every pane of glass and light fitting smashed or stolen. Elsewhere in Africa examples exist of schools built with foreign aid, with sewered water closet (WC) and washbasins but no water.

At a school in a peri-urban area in the Gambia, the two concrete classrooms are too small for the community's needs. Every year, during the dry season, local people build ten makeshift rooms from rough poles and corrugated iron that lean against the concrete structure for support. Children attend school in two shifts to maximize the use of the classrooms. On the door of one of these crude classrooms is painted the caption "Education or death". For the pupils in that simple iron shack, the opportunity, which it offers, is as precious as any offered by a pristine "model" school.

2.5.3. The microclimate

Microclimate is determined by temperature, humidity, and heat radiation and air movement. Details of the relationship between the indoor microclimate and health remain poorly understood. However, it is evidently not good for a child to spend a large part of the day in a cold, damp and poorly ventilated classroom. Poorly nourished and inadequately clothed pupils are particularly vulnerable to acute respiratory infections. Conversely, excessively warm conditions may lead to thermal stress, fatigue, and reduced learning capacity and, in extreme cases, heat stroke. (7) · Much teaching and learning can and does take place outside of

classrooms. Semi-formal learning situations arise in the workplace, the kitchen, the fields and at places of worship. Informal learning takes place through play and social intercourse.




Figure1. At this primary school, carpentry lessons are held outdoors.

- School-based learning is not always necessarily best conducted in a classroom. In some climates, the shaded area under a tree or a grassy bank may provide a good teaching environment.

2.5.4. Indoor air quality

There is a wide range of potential indoor air pollutants, which may influence the health of schoolchildren. Pollution from heating stoves can lead to chronic respiratory diseases and carcinomas. In a crowded environment, airborne bacteria and viruses can cause cross-infection. Other threats include; rotten matter produced by moulds and fungal growths; fine dust; gaseous and particulate compounds from building materials, and radon gas. Many health problems are associated with these pollutants, including acute respiratory infections and asthma. (7)

2.5.5. Noise

High levels of noise can cause irritation, encourage aggressiveness, reduce physical and mental performance, and cause discomfort and headaches. Exceedingly loud and continual noise can lead to more serious problems.(7) Children with hearing problems, visually impaired children, and children with learning difficulties are particularly dependent on a good acoustic environment(8).

2.5.6. Light

Bad lighting can affect the well being of both pupils and staff. Eyestrain is a frequent complaint in classrooms and other teaching spaces where light levels are low, or where glare is excessive. Eyestrain probably largely accounts for the higher prevalence of headaches in the afternoons that have been reported by children and teachers. Poor light conditions can cause children to adopt poor posture, which itself can eventually lead to physical strain.(9)

2.5.7. Inadequate furniture

With a widespread shortage of furniture in schools, many children spend much of their schooldays seated on possibly damp or contaminated mud floors or cold concrete floors. This can lead to infections from hookworm, urinary tract

infections and problems with joints. Moreover, what furniture there is may be used excessively. This can lead to overcrowding, with the attendant risk of cross-infection, for example from scabies. And with overuse, furniture may become damaged, causing injury. Classroom furniture may not always be used appropriately. Examples exist of desks designed for very young children (6-8 years) being used by older children (13-15 years) and vice versa. This is likely given those children attending primary schools are often above what would be considered normal primary school age. Posture problems and backache can result.

2.5.8. Sanitation

Without sufficient clean and functioning toilets children will defecate in and around the school compound. In such situations the school and its surroundings are likely to become infested with parasitic helminths. Neglected school compounds tend to accumulate waste, both from within the school itself and dumped by people from outside. When waste builds up, because of a municipal strike for example, school grounds are likely to become a natural dumping site since they probably represent one of the few accessible open spaces. If, as is quite often the case, school buildings are adjacent to health buildings, medical waste, including items such as used syringes, can frequently be found on the ground. In malarial areas, standing pools of water around a school can be a major health hazard.

In a tiny two-room rural school in West Africa, for example, the teacher has instigated a regime whereby, every day, each pupil has to bring a plastic bag full of water. This is added to a communal tank. When the children go to the toilet they have to take water to wash themselves. The toilets, which are simple pits, have high and well-maintained bamboo-screen walls to provide privacy. A rota ensures that every morning the toilets are cleaned by one of the pupils. The result is a clean and well-tended school with a body of pupils who, by the simple

expedient of carrying water to school each day, remain constantly aware of hygiene and cleanliness.

2.5.9. Dirty hands

The availability of convenient hand-washing facilities is as important as safe disposal of urine and faeces. Hepatitis A, diarrhoea caused by *Escherichia coli*, amoebic and bacillary dysentery, cholera and typhoid are among the infectious diseases, which can be spread via the faecal-oral route. Staff and pupils must be able to wash their hands after defecation as well as before eating food.




Figure 2. The “F-diagram” summarizes the main ways in which diarrhoeal disease is spread - by faecal germs contaminating fields, fluids, fingers, flies or food. Most toilets will stop the “fluids” and “fields” transmission routes. The VIP toilet and the pour-flush toilet may also break the “flies” route. No type of toilet can, however, prevent contamination of hands.

2.5.10. Water supply

Many of the faecal-oral infections listed above can also spread via contaminated drinking-water. Children dipping their unwashed hands into a shared drinking-water supply are a typical route of contamination. But problems can also arise from water which is not used for drinking. If rainwater or floodwater is allowed to stand in puddles, the breeding of mosquitoes and other insects may be encouraged, leading to transmission of diseases such as malaria, dengue fever and schistosomiasis. (Similar problems can arise from accumulated waste, which, additionally, may attract flies, rodents and dogs).

2.5.11. Health Education

Health education is a process that helps people makes sound decision about personal health practice and about individual, family and community well-being. Knowledge alone does not necessarily poster appropriate health habits. To facilitate effective decision making in health matters, the school system should provide every child with the opportunity to acquire knowledge essential for understanding healthy functions, develop attitudes and habits that promote healthy life style behaviours, and practice health skills conducive to effective living. To achieve these goals, the child, the family, and the community must be involved in the educational process. This is essential because a variety of forces influence the development of healthy lifestyle behaviours. A planned series of integrated health educational activities based on input received from students, parents, community citizens, health care professionals, and education is needed to ensure that health education will become an integral component of a school's curriculum. Comprehensive health education in school is effective in reducing the prevalence of health risk behaviours among youth.

National health objectives provide a framework for developing a sound health education program in the school setting. They help schools to develop curriculum offerings that target critical health issues among school age children such as substance abuse, violence, and sexuality concern. They also provide support for

developing planned, sequential preschool to12 comprehensive curriculums. Health educational activities in school should be aimed at promoting both physiological and psychological functioning. Students must be helped to analyze how normal growth and development progresses and to discuss their needs in relation to the maturational process. The emphasis is a sound health education curriculum is on developing healthy lifestyle patterns.

2.5.12. Clinical Health Services

2.5.12.1. Screening

The school being the first exposure to children, and the presence of different highly contagious diseases in this age group, periodic screening is obligatory in a school to establish a healthy school environment. This will help the health professional to pick up the disease as early as possible so that the dissemination of a disease can be intervened. For example highly contagious diseases which are associated with high mortality like measles, relapsing fever, dysentery, etc. can be diagnosed early and the complications will be tackled. The other thing is to monitor the sanitation of children including, their hair, clothes, body cleanliness, so that we can prevent diseases acquired due to poor personal hygiene.

2.5.12.2. Follow up

The growth, development, and health status of children should be regularly monitored. It will help the health professionals to early detect diseases and act accordingly to prevent the occurrences of life threatening complications. As it is mentioned above, disease like relapsing fever and dysentery usually come due to poor personal hygiene. Inspection of their clothes, hair, and body for cleanliness and presence or absence of lice is important as they are responsible in transmitting the above stated diseases.

Schools may provide a health safety net for children from disadvantaged homes. Where meals or food supplements are supplied, schools can be a vital source of nutrition. Schools can be a focal point for vaccination programmes and a means for health and social workers to identify and make contact with deprived families

2.6. Ways to resolve health related problems in schools

The potential health hazards of school environment are mentioned in the above sub unit (2.5), here the possible solutions for tackling these problems are described. It must be stressed that there is no simple technical fix for achieving a healthy school environment; hence there is a need to synchronize the following solutions.

2.6.1. Commitment and motivation

There is no doubt that the single most important factor in achieving a healthy school environment is the presence of committed and informed people. The emphasis should be on the commitment: as there is plenty of evidence that shows the information is not enough. People are often well aware of the health risks and the theories of contamination but do not act on that knowledge. People who are not committed will always find reasons for not acting, while a committed person will seek ways around apparently insuperable problems. If necessary, committed people will also seek out information.

There is no simple formula for making people committed. However, recognizing and valuing people's efforts, and ensuring that there is sufficient scope for their own decision-making and creativity can go a long way towards encouraging sustained commitment. This point is particularly important since, again, it argues against standard designs. There are many manuals for school design, which prescribe every detail, down to the layout of pin boards and the arrangement of storerooms. Such advice may be technically valid but if teachers on the ground feel deprived of any opportunity for shaping their own environment, the end result is likely to be disappointing. The essence of commitment is a person's belief that

his or her efforts can make a difference. If not, they will feel there is little reason to fight for change.

As well as encouraging the commitment of local people, seven other basic tasks can be done which can be achieved by taking simple practical measures and which, once achieved, will go a long way towards creating a healthier school environment. These tasks are: a faecal-free environment, safe drinking water, convenient hand-washing arrangements, well-lit learning spaces, protection from the elements, structural safety, and adequate cleaning and maintenance.

A. Faecal-free environment

Evidently, faeces on the ground will be a threat to health. The point to be made, though, is that staff, pupils, parents and governing bodies of schools should consider the whole school environment, not just classrooms. Ideally, concern should extend to the streets and fields between home and school, and to the pupils' homes. But at the very least, it must include the school compound.

Success in eliminating faecal material from a school compound is dependent on:

- informed and responsible pupils;
- supervision of young children;
- a compound fence, and vigilance, to stop animals and outsiders from defecating in the compound;
- toilets which are conveniently located, reliable, clean, reasonably odour-free and reasonably private.

B. Safe drinking-water

The conditions required for clean water are well known, but often they are unachievable. Recommendations to boil all water are of little value in a society where fuel is expensive and scarce. Advice about deep boreholes is of no use to a resource-starved school. Rather than concentrating on the source of the water,

achievable measures are often those concerned with the handling of available water.

Frequently, water from a tap or pump is reasonably clean, but has become contaminated by the time it reaches someone's mouth. For example, if people are dipping their hands into a water container to scoop up water in a cup, it is likely that they are contaminating it with germs from their hands. Simply providing a ladle can be an extremely low-cost solution. Similarly, in some circumstances, covering the water container with a lid may be an important step.

C. Convenient hand-washing arrangements

In many countries awareness is widespread of the importance of washing one's hands after defecation. It is reasonable to suppose that it is one of the central planks of all school health-education programmes. However, it is equally clear that hand-washing is a practice that is widely ignored. Spreading the message of the importance of hand-washing is not enough; it must also be an easy and convenient thing to do. People will not normally go out of their way to wash their hands.

If the tap or water source is distant from the toilet, people are unlikely to use it. If water is stored in a relatively high-sided tank it may be awkward for younger children to use. Similarly, wells with high sides may discourage people from drawing water. Taps or water tanks which are constantly surrounded by mud may also be discouraging. Hand pumps may be too stiff for a small child to use, or it may be difficult to pump and wash one's hands at the same time.




Figure 3. A hand-washing arrangements with a “leaking tin”, made of an oil-drum placed on a stone footing over a drainage pit filled with gravel. The small leaking container is made of a recycled tin with a handle of steel wire.

A number of studies have shown that the use of soap, sand or ash for hand-washing can make a significant difference to hygiene levels. (10, 11) Moreover, as well as its purely functional value, the provision of soap can become a means of focusing attention on the issue of hand-washing. For example, teachers may need to start a small fund to raise money from parents to pay for a regular supply of soap. This in itself can help to raise awareness among both pupils and parents.

D. Well-lit learning spaces

Many teaching spaces depend on natural light. Good lighting is especially important if resources for school books are limited and learning depends on the children seeing the blackboard clearly.

The perforated screen wall can be used to provide good lighting. This is a solid masonry wall punctured by numerous closely-spaced holes through which light can filter. If the wall is built of bricks the perforation effect can be achieved by

simply leaving spaces between the bricks at regular intervals. If it is made of concrete (or earth-cement) blocks, special moulds can be used to produce blocks with decorative holes. If the inside surfaces of the holes are made light in colour, either by painting them or by using plain white cement for the blocks, the amount of light reflected through the holes is considerably increased. Where masonry is not used for construction, or where there are existing large window openings, other kinds of screens can be created, for example, using horizontal bamboos.

The advantages of a perforated screen wall are that it provides security and a relatively even distribution of light. The disadvantages are that it does not protect against wind, cold, and dust, and classrooms (particularly if large) can remain rather dark unless the internal walls are also light-coloured. Care must also be taken to orient the building so that direct sunlight does not penetrate the screen wall, since this will almost certainly lead to glare.

In cold climates, where small windows are necessary to reduce heat loss, it makes sense to maximize the light which can enter through a small opening. A roof light lets in considerably more light than a window of equal size in a wall. It can also help to bring more light into the centre of the room, which is often poorly served by wall windows. However, care has to be taken to avoid direct sunlight falling onto desks. With any window, the light entering can be increased to a surprising extent simply by painting white the surfaces of the reveal (the hole in the wall) and the window frame.

E. Structural safety

It is obvious that the health of children will not be enhanced if the school building falls down. This is more the concern of engineers and builders, but teaching staff should check their schoolrooms on an occasional basis for cracks in the main structure. Of more immediate importance are small-scale structural issues: doors falling off their hinges, rotten floorboards, broken glass, exposed nails and broken paving stones. While large-scale structural problems are likely to require

significant amounts of money to solve, a simple but systematic safety audit can reveal hazards which have simple remedies

In many societies, communal work sessions are traditional. If parents can be persuaded to work together, even just for one day once a year, then such a labour force, which will inevitably include people with specialist skills, can tackle much of the heavier structural repair work. Working together, parents can accomplish tasks such as clearing away broken concrete, rebuilding eroded steps, replacing rotten fence posts, re-laying roofing sheets and repairing furniture and play equipment.

Structural safety plays an important part in good sanitation. Children are often scared that a toilet may collapse, sometimes with good reason. A toilet's squat platform or slab should be well made and protected from the elements. It must also be clearly seen to be safe. The interior of a pit toilet should generally be lined to prevent its sides from collapsing. Surface water from rain should be directed in channels away from toilets, to avoid any erosion of the pit.

For too long the provision of schools has been seen as an issue of construction. Certainly, new schools are required. But a school environment is like a living organism, and therefore requires continuous sustenance. The construction of the school building should be seen as the birth of a "living school", rather than as an end in itself. A living school has many components (children, parents, staff) and needs (the supply of water, the removal of waste). Again, like any living organism, its relationship with the outside world is highly important. If the school is seen as being apart from the community, rather than integral to it, it will soon become neglected.

F. Adequate cleaning and maintenance

Problems of structural safety can often be avoided through careful routine maintenance. Dealing with broken roof tiles or undermined foundations straightaway, as soon as they occur, minimizes the need for expensive structural repairs later. Often, where a capital budget is available for construction but resources for routine upkeep inadequate, the result is dilapidated buildings which need to be replaced far earlier than should be necessary.

The key to good maintenance is not letting the situation deteriorate too far before taking action. Broken, clogged or soiled toilets, in particular, will deteriorate rapidly if action is not taken immediately. Rectifying the situation then becomes a major task.

Often a serious problem occurs because everybody thinks it is the responsibility of somebody else. Adequate maintenance, therefore, requires that areas of responsibility are clearly defined and understood by all.

Waste collection is an example of an activity for which several different people can be assigned responsibility for the different parts. Children and teaching staff may be involved in collecting waste in the classroom and compound. A caretaker may be responsible for managing a waste pile and emptying bins. And a municipal waste collector may be responsible for final disposal. Sometimes, one part of the process breaks down. In such a case, dialogue between all the parties involved is important.

2.7. Post-tests

Answer the following question on a separate answer sheet

2.7.1, post-test for all categories of health professionals

2.7.1.1. Choose the best answer from the given alternatives:

1. Which one of the following is true about the location of the school?
 - A. the location of the school isn't important in school health
 - B. schools built near to the road aren't associated with any danger to the students
 - C. all sites are equally good to build a school
 - D. the distance of the school should be near to the community being served
 - E. c and d
2. One of the following infectious diseases may affect school children by spreading through faecal-oral route
 - A. amoebic dysentery
 - B. cholera
 - C. malaria
 - D. a and b
 - E. all
3. Which of the physical aspects of the school environment influence the physical and mental health of the school children?
 - A. sanitation
 - B. hazardous location
 - C. inadequate furniture
 - D. dangerous structure
 - E. all
4. The principles which must be considered as priority issues to equip healthy school environment are
 - A. keeping the compound clean of faecal material and waste;
 - B. providing or restoring toilets and keeping them clean;

- C. providing convenient hand washing facilities and encouraging their use;
 - D. providing safe drinking-water.
 - E. all
5. To make the physical environment of a school healthier, one needs to have:
- A. informed and responsible pupils
 - B. regular supervision of young children
 - C. a fence, to stop animals and outsiders from defecating in the compound
 - D. conveniently located toilets
 - E. all

2.7.1.2. Say “true” or” false” for the following questions

1. The physical and mental health of school children can be influenced by the sanitation of the school environment.
2. High level of noise may cause irritation and reduces the physical and mental performance of pupils.
3. Hand washing arrangements should be available in schools
4. School could provide the most cost-effective means to improve the health of children.
5. The structural design of a school building has no influence on the health of children.

2.7.1.3. Give short answers for the following questions:

1. What is the goal of school health service?
2. Why school health service is essential?
3. What are the possible healths related problems encountered in schools?

UNIT THREE

SATELLITE MODULES

Satellite module for Health officer Students

1. Introduction

Despite the fact that integrated health services are kept important nowadays in all health care facilities, this doesn't deny the specific roles to be played by each category of health professional. This in turn necessitates preparing a satellite module, which is more of a specific field, compared to the more general core module. This module is going to help the health officer students acquiring the importance of maintaining a healthy school environment.

2. Purpose and use of this module

This satellite module is prepared to further identify and determine the specific roles of health officer students. They are expected to know the main health problems seen in the school. By enhancing the acquisition of knowledge, attitudes and skills through interactive and self-learning processes, s/he can effectively and efficiently carry out interventions that can significantly reduce problems encountered in the school environment.

3. Direction for using this satellite module

1. Read the information in the core module.
2. Do the pre-test questions before proceeding to the satellite module.
3. Read thoroughly the information in the satellite module.
4. Refer to the core module for certain sections if needed.
5. Do the post-test after completing the satellite.
6. For pre-and post-test questions look for answer keys in the appendix and evaluate your knowledge.
7. Use further reference, if needed, for further information on the subject.

4. Pre-test

1. Which one of the following is not true about the influence of Indoor air quality on the health of schoolchildren,
 - A. airborne bacteria can cause cross-infection in a crowded environment
 - B. viruses can cause cross-infection in a crowded environment.
 - C. fine dust causes acute respiratory infections and asthma.
 - D. not important to maintain indoor air quality.

2. High levels of noise in a school environment can cause
 - A. irritation,
 - B. encourage aggressiveness,
 - C. reduce physical and mental performance,
 - D. cause discomfort and headaches
 - E, all

3. In a school environment, if rainwater or floodwater is allowed to stand in puddles, it leads to the transmission of diseases like
 - A. tuberculosis
 - B. HIV
 - C. malaria
 - D. Schistosomiasis
 - E. c and d

4. Excessively warm conditions of a school microclimate may lead to
 - A. fatigue
 - B. reduced learning capacity
 - C. has no effect on child health
 - D. a and b
 - E, none

5. Many children spend much of their schooldays seated on possibly damp or contaminated mud floors or cold concrete floors due to shortage of furniture in primary schools, theses may pose them to,
 - A. furniture may become damaged, causing injury
 - B. the attendant risk of cross-infection due to overcrowding (e.g. Scabies)
 - C. infections from hookworm and urinary tract infections

- D. problems with joints.
- E. all

5. Learning objectives:

1. Identify the role and responsibility of public health officers in the evaluation of children's health the school environment
2. Identify the importance of a health service provision
3. Identify the basic situations needed to be fulfilled in the establishment of healthy environment in the school
4. Identify and manage the common diseases acquired in the unhealthy school environment

6. Significance and brief description of the problem

Most schools in Ethiopia including those locating in the major cities don't fulfil the basic necessities. Considering a school being the first opportunity for many children to mix with people other than close relatives and near neighbours, it may represent their first exposure to a range of infectious diseases .For example a total of one billion people in the world are infected by soil-transmitted helminthes (STH), of which the greatest burden of disease occurs among children in developing countries, where there is poor hygiene and sanitation (1). These infections are particularly rampant throughout the tropics, posing serious public health problems. In these parts of the world, socio-economic status, cultural practices and the environment favor transmission of STH (2). A report by the Ethiopian Ministry of Health (MoH) indicates that helminthiasis is a leading cause of outpatient morbidity (3). "Schools could the most cost-effective means to improve the health of children and thus to advance social and economical development."(1)

A range of physical aspects of the school environment affects the physical and mental of children. Clean, functioning and adequate toilets are keen important in the maintenance of a healthy school environment. Its absence will result in

children to defecate in and around the school compound. In such situations the school and its surroundings are likely to become infested with parasitic helminthes. The availability of convenient hand washing facilities is as important as safe disposal of urine and faeces. Staff and pupils must be able to wash their hands after defecation as well as before eating food. Children dipping their unwashed hands into a shared drinking-water supply are a typical route of contamination infectious diseases which can be spread via the faecal-oral route including hepatitis A, diarrhoea caused by *Escherichia coli*, amoebic and bacillary dysentery, cholera and typhoid. Besides this a collection of water could also be a site for multiplication of vectors like mosquitoes, snails etc.

Poorly nourished and inadequately clothed pupils are particularly vulnerable to acute respiratory infections. Conversely, excessively warm conditions may lead to thermal stress, fatigue, reduced learning capacity and, in extreme cases, heat stroke. Whereas in a crowded environment, airborne bacteria and viruses can cause cross-infection, in addition dust particles could also accumulate to make the children susceptible to acute respiratory infections and asthma. High levels of noise can cause irritation, encourage aggressiveness, reduce physical and mental performance, and cause discomfort and headaches.

In many cases the most dangerous aspect of a school is its location. (refer to core module).As well as protecting children and staff from the elements, the structure and location of a school building is intended to enhance health and well-being. But badly designed or poorly maintained structures may in fact threaten health. With a widespread shortage of furniture in primary schools, many children spend much of their school day seated on possibly damp or contaminated mud floors or cold concrete floors. This can lead to infections from hookworm, urinary tract infections and problems with joints. Overcrowding in classrooms may be followed with the attendant risk of cross-infection, for example from scabies.

7. Prevention and control of problems in the school

The public health officer plays a leading role in the school health activity. She/he is expected to coordinate the other health professionals and get a maximum effect out of the campaign.

The public health officer should actively involve in the establishment of school clinics and provision of an adequate health care to school children. He is expected to examine the health status of all students attending the school regularly and also submit monthly as well as annual reports.

The equipments in such clinics include weighing machine, height standards, a tape measure, snell's eye testing cards, and a tongue depressor. He is solely responsible in the delivery of medical inspection of all children and detection of the presence of contagious diseases and physical defects among them and suggestion of their remedies.

The health officer should inquire into the cases of outbreaks of infectious diseases in school and take all necessary steps to arrest their spread. He/she should give high index of suspicion to diseases acquired in the poor school environment, that include Hepatitis A, diarrhea caused by Escherichia coli, amoebic and bacillary dysentery, cholera, typhoid Hookworm, urinary tract infections, problems with joints, Scabies, Acute respiratory infections and asthma, etc. So specific measures should be taken based on the diagnosis to alleviate the problem and take preventive measures to stop further incidences. Among them planned immunization programme against infectious diseases common in children and against other anticipated epidemic outbreaks in the area. As school age children typically have the highest intensity of worm infections of any age group, the most effective way to deliver deworming pills is through schools because schools offer a readily available, extensive, and sustained infrastructure with a skilled workforce that is in close contact with the community

In many low-income countries, it is more common to be infected than not. Indeed, it has been estimated that, for children aged 5 to 14 years, intestinal worms account for 12% of the total disease burden. Periodic deworming of the school children against intestinal helminthiasis is also keen important in the prevention of their chronic complication in the child growth and development.

He should note the effects of desks on the posture of the students, and also undergo periodical inspection of school premises with particular attention to lighting, ventilation and other sanitary installation.

8. Post-test:

1. Indoor air quality influences the health of schoolchildren,
 - A. airborne bacteria can cause cross-infection in a crowded environment
 - B. viruses can cause cross-infection in a crowded environment.
 - C. fine dust causes acute respiratory infections and asthma.
 - D. not important to maintain indoor air quality.
2. High levels of noise in a school environment can cause
 - A. irritation,
 - B. encourage aggressiveness,
 - C. reduces physical and mental performance,
 - D. cause discomfort and headaches
3. In a school environment, if rainwater or floodwater is allowed to stand in puddles, it leads to the transmission of diseases like
 - A. tuberculosis
 - B. HIV
 - C. malaria
 - D. schistosomiasis
 - E. c and d
4. Excessively warm conditions of a school microclimate may lead to
 - A. fatigue
 - B. reduced learning capacity
 - C. has no effect on child health
 - D. a and b
 - E. none

5. Many children spend much of their schooldays seated on possibly damp or contaminated mud floors or cold concrete floors due to shortage of furniture in primary schools, these may pose them to,
- A. furniture may become damaged, causing injury
 - B. the attendant risk of cross-infection due to overcrowding (e.g. Scabies)
 - C. infections from hookworm and urinary tract infections
 - D. problems with joints.
 - E. all



Satellite module for Nursing Degree Students

1. Introduction

School environment is a composition of different groups of people such as students, teachers, and support staff. It also greatly involves parents and community members. This pattern of the institute provides intrinsic relation among various societal sectors. Therefore, provision of proper and well-organized school health services is not only beneficial to the school community in preventing and control of health problems but also acts as one of the important set points in addressing health promotion activities. To achieve the objectives of school health services, the focus of school health nursing services should be on meeting the health need of each school community. Services should readily be accessible and acceptable to all and involve full school community participation. An effective partnership, which calls for an imaginative and flexible approach between health care professionals, school personnel (teachers and students) and the community is essential to translate this beliefs in to action.

1. Direction to use the module

The satellite module is the continuation of the core module in the same text, it is very vital to bear in mind that the concepts and ideas stated under the core module are useful for satellite module.

- Read thoroughly and link the concepts in the core module to the satellite module
- Do the pre-test
- Read the learning objectives
- Read satellite module content
- Attempt the post test questions accordingly
- Look answer keys in the appendix
- Use additional reference materials to increase scope of your knowledge.

2. Pre- test questions:

1. Which one of the following is not included under the comprehensive school health program?
 - a. Health education
 - b. Clinical services
 - c. Community co-ordination
 - d. Ensuring safe school environment
 - e. None
2. The role of nurse in school health program include:
 - a. case management
 - b. family counselling
 - c. primary health care services
 - d. primary and secondary prevention
 - e. all of the above
3. The role of nurse on the school health team include all **except**
 - a. case finder
 - b. health counsellor
 - c. advocator
 - d. consultant
 - e. none
4. Mention some of the standards of school health nursing practices
5. State the principles of school health nursing

4. Learning objectives:

Up on completion of the satellite module, the nurse students should be able to:

- Mention the underpinning principles of school nursing
- List components of comprehensive nursing school health services
- Apply nursing process in school health services
- State the important role of nurse in the team of school health program

6. Statements underpinning the principles of school nursing:

The following should be clearly shared by nurse during their school health practice:

- Health is a valued asset. School-age children, as well as adults, have a right to the best possible state of health and equal access to health care.
- The health of school –age children benefits from a specialist school nursing service.
- The school –age child’s individual ability to take responsibility for making his or her own decisions should be respected.
- A school age child should be supported in identifying his or her own health needs.
- Sense of worth depends equally on a child’s concept of body image, physical well-being and academic learning achievement.
- The school health nursing service should be extended to include the development of a health- promoting a school community.

6. Type of services provided by community health nurse at school

- Physical examination for screening for vision and hearing
- Immunization
- Identification of abuse and neglect
- Nutritional
 - School Health gives an environmental framework for school children
 - Nurses can provide information regarding illness and injury prevention for child care providers and teachers to improve health and safety.
 - Schools need assistances in developing standards for hygiene, sanitation, and disinfections to prevent the spread of disease. This may include hand washing, food reparation and cleaning of toys and equipment
 - Guidelines how to care for sick children should be developed

- Health education should be incorporated in to school curriculum for older children and adolescents
 - Participate student in school health programs, partly in teaching topics related to services
- Education of families of the children may focus on coping strategies, such as division of responsibilities, identification of a frustrations, and dealing with behaviours that signifies stress and tension. Nurses are in key position to consult with these populations and serves as a resource for program development.

7. Modified nursing process application in school health using three levels of prevention

I. Primary prevention

1. Objective:

- To promote health and welfare
- To provide specific protection from health and safety hazards

2. Assessment

Assessment of school health program at primary prevention level should address identifying actual and potential health problems that directly or indirectly influence the teaching learning process and the whole environment.

Assessment targets:

- Students (elementary school, secondary school and college students)
- Teachers
- School administrator
- Parents and the whole community. Area that need assessment at this stage include knowledge, attitude and behavioural pattern including their health practice related to school health problems.

Common health problems in most schools include:

In elementary school age children:

- Injuries (burn, puncture, poisoning fracture soft tissue trauma etc...)
- Respiratory tract infections such as common cold, influenza pneumonia and acute bronchitis.
- Malnutrition, dental problems,
- Eye infections (conjunctivitis, trachoma)
- Intestinal parasitosis
- Skin infections including scabies, ringworm and impetigo etc.

In secondary schools

- Sport injuries
- Sexually transmitted infections
- Substance abuse commonly chat followed by cigarette smoking and alcohol abuse.
- Dental diseases, mental and emotional problems


Preparing survey instruments can do epidemiological survey and case finding about health problems in the school. The instrument should include important variables that can properly address the problems under consideration.

3. *Interventions*

2.1 Provision of health education


According to the identified health problems provide health education in such a way that it can meet the intended objectives. The nurse should recall that health education is “**systematically organized activities designed to aid students in giving knowledge, skills, understandings, attitudes, and behaviour patterns necessary for living healthfully.**” As it is noted, the scientific and philosophical foundations of the school health education stem from the health sciences, the behavioural sciences, and the biological sciences. As in other health education settings, the school health educator (nurse) adapts what the school environment, as well as to the broader aspects of the community, knows about health. The process of school health education revolves around the following eight elements of educational institution.

1. The nature of learners
2. The quality of health educators
3. The quality of learning environment
4. School and community support
5. The quality and availability of learning resources
6. The organizational structure
7. The approaches selected for providing learning experiences
8. The evaluation of learner progress.



Elements of school health program

The school health program should extend in to the community (extra school). The success of school health efforts will depend on the quality of health education and services available and the quality of the supporting influences.



2. Establish health programming through listing different duties and activities such as coordinating similar activities for objective accomplishment. These include promotive and preventive activities (creating safe environment at school, immunization program and psychological support).
3. Conduct program evaluation: Three general levels of evaluation are necessary for a comprehensive evaluation of health service programs:

- Process evaluation
- Impact evaluation, and
- Out come evaluation

These levels of evaluation are associated with the three processes of evaluation, which are identified as (1) formative evaluation, (2) diagnostic evaluation, and (3) summative evaluation.

4. Provide consultation, guidance and supportive services

- Make a plan to guide people to solve their problems through:
 - Conducting conference with students, parents and school personnel (teachers and administrators).
 - Have weekly & monthly meeting of parent and teachers to explain the programme and its benefit.
 - Assist the teachers in encouraging the pupils through class room activities to acquire the knowledge necessary to the establishment of healthful practice and attitudes.
 - Assist the teacher to interpreter health knowledge with other classroom activities such as knowledge may include facts regarding:
 - The growth and development of the body
 - Nutrition
 - The essential for healthful environment
 - Personal hygiene
 - The causes, symptoms & prevention of diseases.

5. Maintains standards of health and safety in school.

- Classroom, play ground, latrine etc., avoid injury causing environment.

6. Participate in communicable disease control program in school using measures for disease control such as:

- Concurrent disinfections
- Control of carriers
- Immunization and surveillance of contacts

- Control of insect vectors
 - Quarantine
 - Reporting of the disease to the local health authority
7. Developing skills of health team and take active role in this regard:
To establish good relation with school health team, the nurse follows the following steps:
- Listen, learn and understand
 - Talk, discuss and decide
 - Encourage, organize and participate
- The nurse establish health team in school through:
- Setting and sharing objectives with members
 - Motivating team members to get the best out of people
 - Providing technical & material support
 - Evaluating the team progress
8. Facilitate utilization of preventive services and resources
9. Create environmental adaptation for special needs.

II. Secondary prevention

1. Objective
 - To facilitate early identification of health problems
 - To provide/ facilitate prompt intervention in presence of problems
2. Interventions
 - Health interview/ history taking
 - Bear in mind that taking information form school children is not an easy thing
 - Give attention to the impact of school health problems on psychosocial, cultural, ethnic pattern on the personal health, their age, educational level, illness and health promotion behaviours.
 - The interpersonal and physical environments, as well as the student, and school personnel life styles and activities of daily living are explored in depth.

- During history taking the nurse is also responsible for obtaining detailed history of student current health problems, past medical history, family history, and review of the functional status or body systems.

3. Conducting physical assessment

The key to obtaining appropriate data in the least possible amount of time is an organized and systematic examination. Such an approach refines physical assessment skills and encourages cooperation and trust on the part of patient. The complete physical examination usually proceeds in a logical head-to-toe sequence as follows:

- Skin
- Head and neck
- Thorax and lungs
- Breasts
- Cardiovascular system
- Abdomen
- Rectum
- Genitalia
- Neurological system

Four fundamental processes employed in physical examination are:

- Inspection
- Palpation
- Percussion, and
- Auscultation

4. Screening and testing

Screening is needed in school, if some diseases cannot be prevented, as the next best strategy for early detection of disease in symptomatic, apparently healthy individuals. Screening in school can be conducted at regular basis or as an ad hoc basis. It should be noted that screening differs from diagnosis, which is the process of confirming an actual case of a disease. A number of criteria must be considered carefully before a

decision is made to implement a screening program. Appropriate situations for screening considers:

- **Social:** the health problem should be important for both the individual and the school community. Diagnostic follow-up and intervention should be available to all who require them. There should be a favourable cost-benefit ratio.
- **Scientific:** the natural history of the condition should be adequately understood. Identification should occur during pre pathogenesis with sufficient lead-time. There is sound case definition in addition to a policy regarding whom to treat as patients.
- **Ethical:** the provider initiates the service and, therefore, should have evidence that the program can alter the natural history of the condition in a significant proportion of those screened. Suitable, acceptable tests for screening and diagnosis of the condition as well as acceptable, effective methods of prevention are available.

5. Observations

6. Conducting outreach activities, establish home visiting and follow up program. In order to home visiting the nurse should understand principles of home visiting:

- The purpose of home visiting
- Clearly understand the advantages and disadvantages
- Develop a real desire to help students and their parents
- An understanding of how people learn
- A good basic knowledge of health
- The ability to turn this knowledge in to action

7. Conducting school conferences with school community including parents

8. Problem management

9. Referral

10. Communication / interpretation

11. First aid and emergency care
12. Crisis interventions like counselling

Tertiary prevention

1. Objective

- To prevent complication and limit disability
- To promote rehabilitation and maximal adaptation

2. Intervention

Tertiary prevention largely considers rehabilitative activities which school health nurse need to act. ***Rehabilitation is a dynamic, health-oriented process that assists an ill or disabled individual to achieve the greatest possible level of physical, mental, spiritual, social and economic functioning.***

The rehabilitation nurse develops a therapeutic and supportive relationship with the patient and the family. The nurse always emphasizes the client's assets and strengths. During nurse- client interactions, the nurse actively listens, encourages, and shares the client's triumphs. The client is praised for efforts to improve self-concept and self care abilities. The nurse helps the client to identify strengths and past successes and to develop new goals. The nurse assumes roles of caregiver, teacher, counsellor, advocate and consultant.

- Follow up
- Problem oriented teaching
- Modification of environment, activities, services and programs
- Definition and communication of management plans
- Reassessment

On top of the three preventive approaches, conduct operational research and use its outcome to improve service quality.

8. Post- test questions:

1. Which one of the following is not included under the comprehensive school health program?
 - a. Health education

- b. Clinical services
 - c. Community co-ordination
 - d. Ensuring safe school environment
 - e. None
2. The role of nurse in school health program includes:
- a. case management
 - b. family counseling
 - c. primary health care services
 - d. primary and secondary prevention
 - e. all of the above
3. The role of nurse on the school health team include all **except**
- a. case finder
 - b. health counselor
 - c. advocate
 - d. consultant
 - e. none
4. Mention some of the standards of school health nursing practices
5. State the principles of school health nursing

Satellite module for Environmental Health officers

1. Introduction

The future development and welfare of any country depends on the wellbeing of its current young generation such as school children. Children are constantly undergoing physical, mental, emotional and social changes. The impressions formed by the children in their first experiences of childhood are deep and long lasting. It is therefore, of paramount importance that young population are educated under sanitary and wholesome environment, that largely supports the mental, social and physical wellbeing of the children. Hence, it is critically important to establish and render basic health services in schools. Basic learning activities and information that are equally important to different categories of health professionals expected to implement health services in schools have already been covered in the core module. This satellite module focuses on the roles more specific to Environmental Health Professionals in school health services.

2. Directions for using this module

- Before studying this satellite module, be sure that you have completed studying the core module.
- Do the pre-test.
- Continue studying this satellite module.
- Identify specific tasks relevant to your profession in school health services.
- Do the post-test and evaluate your knowledge.

3. Pre-test

1. One of the following statements is **not** true about school building?
 - A. The doorways should open towards the outside.
 - B. Each block should have a separate staircase.
 - C. 150 ft³ space per pupil is needed.
 - D. Rectangular rooms are not good.
 - E. a and c

2. Schools should be situated at:
- A. Close to the cinema house.
 - B. Adjoining the public park.
 - C. Near large trees.
 - D. At least 60 ft away from the main road.
 - E. b and d
3. Of the following one choice is **not** true about school furniture.
- A. Seats should hold two-third of the thigh.
 - B. single seats are the best.
 - C. The front edge of the seat should be rounded.
 - D. Students should seat at a fixed place through out the year.
 - E. All
4. Poorly ventilated rooms may lead the students to:
- A. Eye-strain
 - B. Fatigue
 - C. Infections
 - D. All
 - E. None
5. Take the wrong statement out.
- A. Artificial lights are not good for the students.
 - B. Natural lighting should be provided to the school building.
 - C. In the classrooms the main natural light should come from the left.
 - D. Glaring should be avoided in the classrooms.
 - E. None

4. Learning Objectives:

After completing this module the reader will be able to:

1. Select appropriate site for the school buildings
2. Describe the objective of school health services
3. Evaluate the physical features of schools
4. List potential health threatening factors in school compounds.

5. Physical features:

1. Site of the school:

Site selection for new school building has to involve team of professionals including environmental health personnel. During site selection, the Environmental Health Officer has to check the following parameters:

- The school should be centrally located and easily accessible to students.
- It should be situated at a distance of at least 60 feet (18.28meters) from the main street or road to eliminate the nuisance of noise.
- The site should be elevated, well drained and should not be overshadowed by tall buildings or trees.
- The area of the school should be 1 acre (0.4 hectare) for 1,000 students
- A playground of 20 square ft. (1.86 sq. meters) per child should be provided.
- The school site needs to be at least 1 km away from marshy area.

2. The School Building:

The building structure is another important factor that should draw the attention of Environmental Health professionals both during the construction phase and regular inspections periods of the school.

- School buildings are recommended to be of a pavilion type, in a way that classrooms are opened into the veranda and the hall is quite separate, and allow the arrangement that provides adequate ventilation.

- The school premises should have a proper boundary wall and should be kept free from all hazards. Corridors should be 6-8 feet (1.83-2.44 meters) wide and the width of the staircase should be about 4 feet(1.22 meters) with a doorway opening to outside, provided at the bottom of the staircase as it facilitates the escape of children in case of an outbreak of fire.
- There should be a separate staircase for each block and it should be protected on the open side. Staircase has to be fireproof and its width may vary from 4-6 feet (1.22-1.83 metre.)
- All parts of the school building should be constructed fireproof.
- A minimum of 150 cubic feet (4.247 cubic metres) per pupil is recommended. The floor space of 10-15 square feet (0.93-1.39 sq. metre) per pupil is recommended so that a 1500-1800 cubic feet (42.47-50.17 cubic metres) circulation of fresh air per head is attained. The height of classrooms should not be less than 12 feet (3.65 metres).
- Classrooms better be away from roads and should preferably face South or southeast for sunlight. Each room should be able to accommodate 25-50 children. Rooms should preferably be rectangular, the width being tow thirds of the length.
- A clear space of not less than 7-1/2 feet (2.29 metres) extending the full width of the room should be left for the teacher.
- Floors should be made of impermeable materials with smooth surface to facilitate easy cleansing. The interior walls should be of white colour and should be whitewashed as and when required.

- Windows are to be placed on the opposite sides of the room should be made to open, if possible, to the external side.

3. Lighting and Temperature:

Vision is a tool of learning. Natural lighting should be provided to the school buildings by the provision of adequate number of windows since ideal lighting enables the students to sit anywhere in a classroom with visual comfort. One of the responsibilities of environmental health officer in school health service therefore includes making sure that:

- The proportion of the glass area provided in the walls should not be less than one-sixth of the floor area. The main light should come from the left side or from above because when one writes with the right hand, his shadow should not fall on the book. Extremely brilliant light is dazzling to eyes and should therefore be avoided by providing sun blinds.
- A wet and dry bulb thermometer should be fixed in every classroom to monitor the room temperature. A permissible range of dry bulb should be 15.6°C to 18.3°C and wet bulb 14.4°C to 16.1°C is required.

4. Furniture:

The most important items of furniture of the classrooms are seats and desks. Single seats are considered to be the best in schools. Moreover, providing single seats to students can check the spread of infectious diseases and vermin's conditions. The Sheffield type of continuous desk with six separate seats is preferable to a long common seat and a desk.

- The seat should hold two-thirds of the thigh. The front edge of seat should be rounded and its height from the floor should be such that when the child's feet are resting on the ground, the legs are in the vertical position and the thighs in the horizontal position. In other words, the height of the seat should

be such that the feet should not remain suspended in the air and the scholar should be able to rest his elbows without raising or depressing the shoulders.

- There should be a provision for back rest suitably curved to the body reaching the level of the shoulder blade. Desks should be from 15-18 inches (0.38-0.46 metre) broad, and slope at an angle of 15° and 45° for writing and reading respectively. It should be vertically distant from the seat. The edge of the writing surface should almost fall in a straight vertical line with edge of the seat. The slight minus overlap is better than plus gap, seat. The slight minus overlap is better than plus gap, so that the student may read or write on the desk without undue leaning forward and without entirely losing the support of the back. Desks are classified into three varieties depending upon their relationship to the seats:

- (1) Zero Desk. When edge of the desk is vertically in line with the edge of seat.
- (2) Minus Desk. When it overhangs.
- (3) Plus Desk. When there is a gap between the two.

Zero and minus desks are suitable for reading and writing. Seats and desks should be adjusted to requirements of students twice a year for the prevention of the eye-stain, fatigue and to eliminate the risk of developing orthopaedic defects. As girls grow most between the ages of 12 to 14 and boys between 14 to 19 so special care should be taken during these ages. Black boards should have dull surface.

5. Provision of Meals:

Provision of school meals is important because of several reasons:

- (i) school age population is a vulnerable group; forms a considerable proportion of the total population and being a controlled community can easily be reached

- (ii) The school child often gets hungry in school because the child leaves home after a hurried meal and returns late in the afternoon. In rural areas the child may have to walk several miles. Thus school meal will not only correct the malnutrition due to poor diet at home, but would also combat his hunger in the school.
- (iii) Educational performance of the child would improve by improving nutrition.
- (iv) School meals provide opportunities for nutrition, education, food hygiene and gastronomy.

There should be licensed vendors who should keep food items clean and covered with a view to protect them from flies and dust. For mid-day meals, there should be a separate room in the school building.

6. Sanitary Conveniences.

- Provision should be made for privies and urinals, which should preferably be situated near the playground.
- Urinals should be constructed of glazed porcelain and should be provided with automatic flushing arrangements.
- There should be provision for a separate wash room adjoining the bathroom so that the children may use it for cleansing their hands after a visit to the closet.
- There should be a provision of at least 5 closets and an equal number of urinals for every 100 students. None of the closets should be installed with more than one seat. Water closets are of course, the best arrangement, but in villages and in places where water carriage system is not in vogue, conservancy arrangements should be made, In the case of privies a sweeper should be engaged to clean the privy after each visit.

- The disposal of night soil must be regularly attended to. In the case of co-educational schools, provision of sanitary conveniences for the boys and girls must be made separately and at a sufficient distance from each other.
- At the end of the days work all the schoolrooms should be swept. Once a week the furniture should be taken out of the room and the floors scrupulously scrubbed and swept. Every effort should be made to prevent a dusty atmosphere in schools.

7. Water Supply.

- There should be a provision for the continuous supply of safe and potable water through taps.
- In the areas with piped water supply, a small reservoir with one tap for 100 students must be provided.
- In places where there is no public water supply, the well or the tank be periodically inspected and a sample of water taken for chemical and bacteriological examination periodically.
- The use of a common glass or a tumbler should be prohibited unless it can be properly cleaned, each time after use.
- It is better to drink water directly from the tap. Drinking fountain, which delivers a jet upwards, may be installed where possible. Provision of one fountain for every seventy-five students is the standard aimed at.

8. School Health Service.

School health services are rendered by combined efforts of health team. The environmental health officer is expected to play a key role in the team particularly in making assessments of the school environment and taking an immediate action to tackle the identified problems. Children having medical problems require frequent inspections and follow-ups in order to:

- Prevent the spread of any infectious disease.
- Protect the children from parasitic infestations
- Treat any mental or physical defect, or other abnormalities.

8. Post-test:

1. One of the following statements is **not** true about school building?

- A. The doorways should open towards the outside.
- B. Each block should have a separate staircase.
- C. 150 ft³ space per pupil is needed.
- C. Rectangular rooms are not good.
- E. a and c

2. Schools should be situated at:

- A. Close to the cinema house.
- B. adjoining the public park.
- C. Near large trees.
- D. At least 60 ft away from the main road.
- E. b and d

3. Of the following one choice is **not** true about school furniture.

- A. Seats should hold two-third of the thigh.
- B. single seats are the best.
- C. The front edge of the seat should be rounded.
- D. Students should seat at a fixed place through out the year.
- E. All

4. Poorly ventilated rooms may lead the students to:

- A. Eye-strain
- B. Fatigue
- C. Infections
- D. All
- E. None

5. Take the wrong statement out.

- A. Artificial lights are not good for the students.
- B. Natural lighting should be provided to the school building.

- C. In the classrooms the main natural light should come from the left.
- D. Glaring should be avoided in the classrooms.
- E. None



SATELLITE MODULE FOR MEDICAL LABORATORY TECHNOLOGY STUDENTS

1. INTRODUCTION

1.1 Use and Purpose of the satellite Module

This satellite module provides the specific tasks and activities that should be done by Medical laboratory Science students involving in school health service.

1.2 Direction for using the satellite Module

1. Students should go through the core module before going into satellite module.
2. Do the pre test before starting the satellite module.
3. Read the satellite module thoroughly.
4. After completing the satellite module answer all the questions that are listed under post-test and compare your results with answer key.

2. PRETEST

Instruction: - Choose the best answer and write the answer on separate sheet of paper

1. Which one of the following intestinal parasite is identified by presence of the larva in stool specimen?
 - A. Ascaris lumbricoids
 - B. Entrobius vermicularis.
 - C.Strongloides stercoloris
 - D. Gardia lamblia
2. One of the following parasitological test can be implemented simply in the school compound for parasitological assessment of stool sample
 - A. Direct microscopy
 - B. Formal- Ether concentration technique
 - C. Kato- thick technique
 - D. A& B
3. Direct microscopy of stool specimen is performed by using
 - A. Normal saline
 - B. Sodium carbonate
 - C. Dobell's iodine
 - D. A & C
4. During microscopical examination of stool, the objective of the microscope should be at which magnification power
 - A. 10x & 40x
 - B. 40x& 100x
 - C. Only 10x
 - D. Only 40x
5. The diluent used for shali-hellige hemoglobin quantitation is know as:
 - A. Glacial acetic acid
 - B. 0.1N HCl
 - C. 2% H₂SO₄
 - D. Turk 's solution

6. The concentration of potassium hydroxide solution for Direct microscopy in diagnosing fungal infection is:
- A. 10%
 - B. 30%
 - C. 20%
 - D. 40%
7. Fungal infection of the hair which is manifested by inside of the hair shaft under microscopical examination of the specimen is known as
- A. Endothrix
 - B. Ectothrix
 - C. Ring worm
 - D. None

3. LEARNING OBJECTIVES

At the end of the activities in this module the MLT student will be able to:

1. List the types of laboratory investigations performed for a school health service
2. Discuss the methods of stool, blood and skin scrap sample collection.
3. Explain the interpretation of test results, which are carried out at school health service.
4. List the materials and reagents required for carrying out laboratory tests in providing school health service

4. COMMON LABORATORY TESTS RELATED TO SCHOOL HEALTH SERVICE

Laboratory tests may be needed when indicated by medical professional after carrying out physical examination and/ or taking health history. Most of the tests which help for school health service are performed at a health center level or conducted at the school compound during out- reach activities. The following are common laboratory investigations that are widely applicable in school health service:

| Department | Type of investigations |
|----------------|--|
| - Parasitology | Microscopical Examination of stool Blood film examination |
| - Haematology | Haemoglobin quantitation |
| - Mycology | Direct microscopy using KOH preparation |
| - Serology | Pregnancy test |

An overview about the above mentioned tests are clearly described in the following subunits, so that Medical Laboratory Technology students should select and use appropriate kind of investigation based on its clinical significance to school health service.

4.1 MICROSCOPICAL EXAMINATION OF STOOL

4.1.1 Direct Microscopy with physiological saline and Dobell's Iodine

Principle: Routine microscopic examination of stool specimen with physiological saline and Dobell's iodine solution helps to detect and identify the different stages of most parasites

Materials and solutions

- Dropping bottles containing physiological saline and Dobell's iodine
- Wooden applicator sticks
- Microscope slides with cover slips
- Microscope

Procedure

1. Place a drop of physiological saline (0.85% w/v) in the center of the left half of the slide and place a drop of Dobell's iodine solution in the center of the right half of the slide
2. With applicator stick, pick up a small portion of the feces (approx.2 mg, which is the size of match head) and put it on the drop of saline. Add a similar portion of stool sample to the drop of iodine
3. Mix the feces with drops to form homogenous suspensions
4. Cover each suspension with a cover slip by holding the cover slip at an angle of 30° touching the edge of the suspension and gently lowering the cover slip onto the slide so that no air bubbles are introduced.
5. Using the 10x and 40x objectives, examine the saline preparation for motile forms, cysts and oocyst of intestinal protozoa and for any ova or larvae of helminthes
6. Examine the iodine solution preparation using 40x objectives to identify the cyst stages of protozoa. The iodine will stain the nuclei and the glycogen mass of the cyst
7. Report the number of larvae and each species of egg found in the entire saline preparation as follow.

| | |
|-----------------------|-------------------------|
| Scanty..... | 1-3 per preparation |
| Few | 4-10 per preparation |
| Moderate number | 11-20 per preparation |
| Many | 21-40 per preparation |
| Very many | Over 40 per preparation |

4.1.2 Formal - ether concentration technique

Principle *Formalin acts as both a fixative and preservative of protozoan, eggs, larvae and cysts. The specific gravity of protozoan cysts and helminthes eggs is greater than that of water fecal debris is extracted in to the ether phase so that the parasitic forms can be separated and then segmented by centrifugation.*

Materials and reagents

- 10% formalin
- Ether substitute
- Pointed paper cup or funnel
- Gauze
- 15 ml centrifuge tube
- Normal saline
- Centrifuge

Procedure

1. Using rod or stick, emulsify an estimated 1 g (pea sized) of faeces on about 4 ml of 10% formal water contained in a screw cap bottle or tube
2. Add a further 3-4 ml of 10% formal water, cap the bottle & mix well by shaking
3. Sieve the emulsified faces collected the sieved suspension in a beaker
4. Transfer the suspension to a conical centrifuge tube made of strong glass, & add 3-4 ml of diethyl ether or ethyl acetic
5. Stopper the tube and mix for 1 minute. (It is best use a boiling tube) don't use rubber line cap
6. With a tissue or piece of cloth wrapped around the top of the tube, loosen the stopper (considerable pressure will have built up side the tube)
7. Centrifuge immediate. At 750-1000g (approx 3000 rpm) for 1 minute

8. Using a stick or the stem of plastic bulb pipette, loosen the layer of the faecal debris from the side of the tube and invert the tube to discard the ether, faecal debris and formal water. Then the sediment will remain
9. Return the tube to its upright position and allow the fluid from the side of the tube to drain to the bottom. Tap the bottom of the tube to suspend and mix the sediment. Transfer the sediment to a slide and cover with cover glass.
10. Examine the preparation microscopically using the 10x objective with the condenser iris closed sufficiently to give good contrast. Use the 40x objective to examine small cysts and eggs. (To assist in the identification of cysts run a small drop of iodine under the cover glass). Although the motility of *S. stercoralis* larval not be seen. The none- motile larvae can be easily recognized.
11. If required, count the number of each species egg in the entire preparation. This will give the approximate number per gram of faeces

4.2. BLOOD FILM EXAMINATION

Principle: Thick and thin blood film used for to check whether heamoparasites are present or not .In thin blood film the red cells are intact whereas in thick blood film the red cells heamolysed and only the parasites and white cells observed.

Materials

- Slide
- Spreader with sharp edge
- A piece of gauze
- methanol
- staining rack
- Giemsa stain
- microscope
- shallow tray

Preparation of thick and thin blood film

1. Use a completely clean grease free microscope slide; add a small drop of blood to the center of the slide and a larger drop about 15 mm to the right.
2. Immediately spread the film using a smooth edged slide spreader.

3. Without delay, spread the large drop of blood to make a thick smear.
4. Using a black lead pencil, label the slide with the date and an identification number.
5. Allow the blood films to air-dry with the slide in a horizontal position and placed in a safe place (where there is no risk of the blood coming in contact with any person or object)

Fixation of thin blood films

1. Place the slide horizontally on a level bench or on a staining rack.
2. Apply a small drop of absolute methanol or ethanol to the thin film, making sure that alcohol doesn't touch the thick film. Alternatively apply the methanol to the thin film using a swab.
3. Allow the thin film to fix for 1-2 minutes.

Staining technique

1. Immediately before use, dilute the Giemsa stain as required:
 - 3 % solution for 30 minute staining
 - 10% solution for 10 minute staining
2. Place the slide face downwards * in a shallow tray supported on two rods, in a coplin jar, or in a staining rack for immersion in a staining trough. Thick blood films must be thoroughly dried and thin blood films must be fixed (methanol for 2 minutes).
 - This is necessary to prevent fine particles of stain being deposited on the film(s)
3. Pour the diluted stain into the shallow tray, coplin jar, or staining trough. Stain as follows:
 - 30 minutes if using a 3% stain solution*
 - 10 minutes if using a 10% stain solution*
4. Wash the stain from the staining container using clean water (need not be distilled or buffered).

5. Wipe the back of each slide clean and place it in a draining rack for the preparation to air- dry.

Reporting blood film results

1. When the blood film is completely dry, apply a drop of immersion oil to an area of the film, which appears mauve colored (usually around the edges).
2. Select an area that is well stained and not too thick. Change to the 100x objective (if required add a further small drop of oil).
3. Examine for haemoparasites.

4.3. HEMOGLOBIN QUANTITATION

4.3.1. Haemiglobincyanide (HiCN) technique

Principle: whole blood is diluted 1 in 201 in a modified drabkin's solution, which contains potassium ferricyanide and potassium cyanide. The red cells are hemolysed and the hemoglobin is oxidized by the ferric cyanide to methaemoglobin. This is converted by the cyanide to stable haemiglobincyanide (HiCN). Absorbance of the HiCN solution is read in a spectrophotometer at a wavelength 540 nm or in a filter colorimeter using a yellow-green filter.

Materials

- Automatic micropipette
- Photometer
- Automatic micropipette tips.
- Haemiglobincyanide
- Drabkin diluting fluid

Procedure

1. Measure carefully 20 μ l (0.02ml) of capillary blood or well mixed venous blood and dispense in to 4 ml drabkin's neutral diluting fluid

2. Stopper the tube, mix, and leave the diluted blood at room temperature, protected from sunlight, for 4-5 minutes.
3. Place a yellow green filter in the colorimeter or set the wavelength at 540 nm.
4. Zero the colorimeter with drabkin's fluid and read the absorbance of the patient's sample.
5. Using the table prepared from the calibration graph, read off the patient's hemoglobin value.

4.3.2 Acid- Hematin (sahli- Hellige) Method

Principle: Hemoglobin in a sample of blood is converted to a brown colored acid- hematin by treatment with 0.1N HCl and after allowing the diluted sample to stand for 5 minutes, to ensure complete conversion to acid hematin; it is gradually diluted with distilled water until its color matches with the colour of an artificial standard (tinted glass).

Materials

- Sahli hemoglobinometer
- Sahli pipette
- Stirring glass rod
- Dropping pipette
- Absorbent cotton
- 0.1N HCl
- Capillary blood sample collection materials

Method:

1. Fill the graduated tube to the "2.00" mark of the yellow graduation with 0.1N HCl
2. Draw venous or capillary blood to the 0.02 ml mark of the sahli pipette don't allow air bubbles to enter. With venous blood ensure that it is well mixed by inverting the tube containing it and anticoagulant repeatedly for

- about 1 minute immediately before pipetting it. If using capillary blood, don't take the first drop of blood from the finger
3. Wipe the outside of the pipette with absorbent paper. Check that the blood is still on the mark
 4. Blow the blood from the pipette into the graduated tube, which contain 0.1N HCl. Rinse, the pipette by drawing and blowing out the acid solution 3 times. The mixture of the blood and acid gives a brownish color. Allow to stand for 5 minutes
 5. Place the graduated tube in the hemoglobinometer stand facing a window. Compare the color of the tube containing diluted blood with the color of the reference tube. If the color of the diluted sample is darker than that of the reference, continue to dilute by adding 0.1N HCl or distilled water drop by drop. Stir with the glass rod after adding each drop. Remove the rod and compare the color of the tube with the standard columns. Stop when the color matches.
 6. Note the mark reached. Depending on the type of hemoglobinometer this gives the hemoglobin concentration either in g/dl or as a percentage of "normal". To convert percentages to g/dl. Multiply the reading by 0.146.

4.4. POTASSIUM HYDROXIDE (KOH) PREPARATION

Principle: Fungal elements may be obscured by skin, hair or nail tissue. KOH dissolves keratin in these specimens, facilitating observation of the organism's morphology. KOH preparations are used in the initial examination of keratinized tissue suspected of fungal infection

Materials and reagent

- 20% KOH solution
- Microscope slide with cover slip
- Microscope
- Pasture pipette (dropper)

Procedure

1. Into one drop of KOH reagent on slide, place a small portion of material (skin scrapings, hair, and nail) to be examined
2. Press cover slip down on sample
3. Warm slide gently to dissolve keratinized cells. Don't boil
4. Allow specimen to clear, approximately 20 minutes
5. Examine under low (10x) and high- dry (40x) magnification

Interpretation

Observe for the presence of characteristic fungal elements, including hyphae, budding yeast, and spherules.

For hair specimens determine if infection is ectothrix (outside shaft of hair) or endothrix (inside shaft of hair)

4.5. PREGNANCY TEST

Pregnancy test can be conducted at a level of secondary school health service. The principle, materials required procedure and interpretation of test results is highly depend on the type of kit, which is produced by different manufacturer. The best way to apply these test kits is reading the kit insert before starting any activity.

5. POST TEST

The following post test questions are designed to asses your understanding of the satellite module, attempt all of them and compare your results with the answer key on *page 20*.

Instruction: - Choose the best answer and write the answer on separate sheet of paper

1. Which one of the following intestinal parasite is identified by presence of the larva in stool specimen?

- A. *Ascaris lumbricoids* C. *Strongloides stercoloris*
B. *Entrobilus vermicularis*. D. *Gardia lamblia*

2. One of the following parasitological tests can be implemented simply in the school compound for parasitological assessment of stool sample

- A. Direct microscopy
B. Formal- Ether concentration technique
C. Kato- thick technique
D. A & B

3. Direct microscopy of stool specimen is performed by using

- A. Normal saline
B. Sodium carbonate
C. Dobell's iodine
D .A & C

4. During microscopical examination of stool, the objective of the microscope should be at which magnification power

- A .10x & 40x
B .40x& 100x
C. Only 10x
D. Only 40x

5. The diluent used for shali-hellige hemoglobin quantitation is know as:

- A. Glacial acetic acid
B. 0.1N HCl
C. 2% H₂SO₄
D. Turk 's solution

6. The concentration of potassium hydroxide solution for direct microscopy in diagnosing fungal infection is:

- A. 10%
- B. 30%

- C. 20%
- D. 40%

7. Fungal infection of the hair which is manifested by inside of the hair shaft under microscopical examination of the specimen is known as

- A. Endothrix
- B. Ectothrix
- C. Ring worm
- D. None



3.5 Satellite Module for Health Service Extension Workers

1. Introduction

Schools are places where large number of people gathers at a time on daily basis for educational purposes. Such gathering places may constitute risk of disease transmission from person to person. Children are especially vulnerable to various health problems. Therefore, school children need regular check up and screening tests. Such close follow up for earliest possible detection of signs of health problems helps to design appropriate measures before the health problems are deep rooted.

It is therefore; of paramount importance that young population are educated under sanitary and wholesome environment, that largely support the mental, social and physical wellbeing of the children. Hence it is critically important to establish and render basic health services in schools. The roles of frontline health professionals, especially health extension workers are extremely important to ensure the wellbeing of school population. This satellite module focuses on the roles more specific to Health Extension Workers.

2. Directions for using this module

- Try to read the core module prepared for all categories.
- Do the pre-test.
- Continue studying this satellite module.
- Identify specific tasks relevant to your profession in school health services.
- Do the post-test and evaluate your knowledge.

3. Learning Objectives:

After completing this module, the reader will be able to:

1. Select appropriate site for the school buildings
2. Describe the objective of school health services.
3. List basic school health services.
4. Evaluate the physical features of schools
5. List potential health threatening factors in school compounds.

4. Basic School Health Services.

4.1 The School Environment:

a) Site:

The health extension workers have to be involved in selection of site for building of new rural schools. He/She has to make sure that the following criteria are fulfilled.

- The school should be centrally located and easily accessible to students.
- Schools should be situated at adequate distance from main streets to eliminate the nuisance of noise.
- The site should be elevated and well drained to avoid risk of flooding.
- The school site needs to be at least 1 km away from marshy area.

b) The School Building:

The building structure is another important factor that should draw the attention of health professionals both during the construction phase and regular inspections periods of the school. The health Extension worker therefore, needs to prepare a check list with respect to the following points and make regular observation of the school compounds.

- Classrooms in school are recommended to be separate and adequately ventilated.
- All parts of the school building should be constructed fireproof.

- Each room should be able to accommodate 25-50 children. Rooms should preferably be rectangular, the width being two-thirds of the length.
- Floors should be made of impermeable materials with smooth surface to facilitate easy cleansing.
- Classrooms have to be provided with adequate natural light through construction of appropriate windows.
- The height of the seat should be such that the feet of the children should not remain suspended in the air.
- There should be a provision for backrest suitably curved to the body reaching the level of the shoulder blade.

c) Improving Hygiene and Sanitation Conditions in schools:

Preventable hygiene and sanitation related health problems are more prevalent among children than any segment of population. Fulfilment of the following preventive measures in school compounds is therefore, mandatory to effectively tackle the occurrence of these diseases.

- Pit latrines and urinals should be provided in schools.
- There should be hand washing facilities so that students after a visit to the latrines or closet.
- There should be a provision of at least five closets and an equal number of urinals for every 100 students.
- The disposal of solid wastes must be regularly attended to.
- In the case of co-educational schools, provision of sanitary conveniences for the boys and girls must be made separately and at a sufficient distance from each other.
- All the schoolrooms should be swept at the end of the day's work.
- The furniture should be taken out of the room and the floors scrupulously scrubbed and swept once a week. Every effort should be made to prevent a dusty atmosphere in schools.

d) Water Supply.

- There should be a continuous supply of safe and potable water through taps.
- In the areas with piped water supply, a small reservoir with one tap for 100 students must be provided.
- The use of a common glass or a tumbler should be prohibited unless it can be properly cleaned, each time after use.
- It is better to drink water directly from the tap than from storage tanks.

2. Screening and follow ups:

Screening and follow up services are rendered by combined efforts of health team. The health extension workers are expected to play a key role in the team particularly in making assessments of the school environment and taking an immediate action to tackle the identified problems. Children having medical problems require frequent inspections and follow-ups in order to:

- Prevent the spread of any infectious disease.
- Protect the children from parasitic infestations
- Treat any mental or physical defect, or other abnormalities.

Specific screening activities health extension workers may perform include:

1. Physical observation of the children, to identify visible defects such as hearing and sight problems.
2. Help Lab. Technicians collecting specimens.
3. Treat simple infections such as intestinal parasitic infestations, skin diseases like scabies, etc.
4. Referring children with health problems that cannot be treated at the schools to the health centres.
5. Make regular follow-ups for the children on the treatment for identified health problems.

8. Immunisation:

Immunization is one method of preventing children from risk of communicable diseases. Schools are therefore, the ideal places where vaccination programs can be conducted effectively.

4. Health Education:

Health education is the processes of helping people make an informed decision about their own health issues. What children do, for instance eating with out washing hands, open defecations, etc determines their health status. Changing and shaping the children towards desirable behaviour right from their childhood is therefore, critically important to promote health in school environment. Health education is one of the best tools to bring behavioural changes. The health extension professionals can largely contribute in the implementation of the following tasks:

1. Provision of health education in schools on regular bases in schools on:
 - personal hygiene
 - sanitation of play grounds
 - sanitary campaigns
 - environmental beautification.
2. Provision of health education to parents (focussing on mothers) of the children especially during household visits/inspections on a regular basis:
 - how to prepare and store children's food in a hygienic way.
 - cleanliness of play and sleeping places.

5. Control of Communicable diseases in schools:


- Detection of early signs and symptoms of infectious diseases
- Referring students with suspected infections to the local health centre and then to make a close follow up.

- Inspection/visiting homes of the cases and investigating risk factors for health problems.

6. Provision of Meals:

Provision of school meals is important because of several reasons:

- (i) school age population is a vulnerable group. The school child often gets hungry in school because the child leaves home after a hurried meal and returns late in the afternoon. In rural areas the child may have to walk several miles.
- (ii) Educational performance of the child would improve by improving nutrition.
- (iii) School meals provide opportunities for nutrition, education, food hygiene and gastronomy.



UNIT FOUR

ROLES AND TASK ANALYSIS

At the end of reading thoroughly the module, the health professionals should acquire a basic knowledge, attitude and practice towards school health.

Knowledge

The health officer student should know about:

- the importance of school health
- the role of a proper school location
- the need of a school clinic
- the common diseases acquired in a school environment

Nursing students should

- state the underpinning principles of school health
- list types of community health services
- mention the role of nurses in school health
- identify feasible strategy to provide school health service
- list standards of school health nursing practice

Environmental health professionals

- Define and describe school health services
- List the commonest health problems prevalent in schools
- Describe the magnitude of health problems among school children.
- Explain basic physical environmental factors that may affect school children.
- List the basic steps of environmental assessment in schools compound.

| | |
|------------------------|--|
| | <ul style="list-style-type: none"> - Know how to properly collect and dispose solid wastes produced in the schools. - Tell the appropriate type of human waste disposal facilities recommended for schools. - Laboratory technologists should - Describe the different laboratory tests conducted in school health service - Study the different kinds of laboratory investigations required to provide school health service |
| <p>Attitude</p> | <p>The attitude of a health officer towards keeping a safe school environment should be:</p> <ul style="list-style-type: none"> - Understanding the importance of health officer involvement in a school site selection - aware of the importance of healthy school environment - give high index of suspicion towards communicable and epidemic diseases in a school children <p>Nurses should</p> <ul style="list-style-type: none"> - develop strong feeling about school health problems - establish understanding about the role of nurse in school health - give value to school community <p>Environmental health professionals should</p> <ul style="list-style-type: none"> - Believe in the importance of school health services to minimise health problems arising in the schools. - Believe Health education in schools is of paramount importance for positive behavioural changes among |

| | |
|------------------------|---|
| | <p>children.</p> <ul style="list-style-type: none"> - Believe that regular inspections and follow-ups help identify risk factors in advance and take action. - Agree with the facts that young school children are risk groups and thus need a close care. <p>Laboratory technologists should</p> <ul style="list-style-type: none"> - Help believe that early detection of school health problems helps in the appropriate management - Promote the importance of screening tests |
| <p>Practice</p> | <p>A health should regularly practice</p> <ul style="list-style-type: none"> - coordination and playing a leading role of the team in school health service delivery - undergo regular follow up - identify common diseases and manage accordingly - facilitate immunization programmes toward infectious diseases - proper recording and reporting of cases identified <p>Nurses are responsible to</p> <ul style="list-style-type: none"> - assess health problems prevalent in school health - list the major health problems and set priority order - established goals based on the identified problems - provide health education - treat common diseases - establish functional referral system - prevent accident and injuries - give first aid measures |

Environmental health professionals should

- Identify health-threatening conditions in schools and take appropriate measures.
- Make site selection for construction of new schools.
- Give health education in schools to increase the awareness of the student population about safety of their environment.
- Carry out regular inspections in schools and be actively involved in solving the problems.
- Demonstrate the recommended and standard parameters used to improve the wellbeing of the children in schools.

Laboratory technologists should

- Identify the micro organism which highly affect school children
- Involve in school health service
- Perform different investigations which assist in identification of microorganisms
- Give any technical assistance for school health service

REFERENCES

- (1) WHO. WHO Expert Committee on Comprehensive School Health Education and Promotion. Geneva, World Health Organization, 1995.
 - (2) Leslie J & Jamison DT. Health and nutrition consideration in education planning. 1. Education consequences of health problems among school-age children. 2. The cost and effectiveness of school-based interventions. Food and nutrition bulletin, Vol 12, 1990, 3:191-214.
 - (3) Winblad U. Education without buildings - a call for a total environment for education. In: Proceedings of the UNESCO-Lok Jumbish Seminar on Rural Schools Architecture, Jaipur, India, 27 April - 1 May 1993. Jaipur, Lok Jumbish Parishad, 1993.
 - (4) Spence R et al. Technical guidelines for building for safety. London, Intermediate Technology Publications, 1995.
 - (5) WHO/UNEP. Indoor environment - health aspects of air quality, thermal environment, light and noise. Geneva, World Health Organization, 1990 (unpublished document WHO/EHE/RUD/ 90.2).
 - (6) Sörensson M. School hygiene education and sanitation in 22 primary schools in Madras, India. The Hague, International Water and Sanitation Centre, 1992.
- Morgan P. Rural water supplies and sanitation. London, Macmillan, 1990.
- (8) Winblad U & Kilama W. Sanitation without water, revised ed. London, Macmillan, 1985.

- (9) Monica cheesbrough. District Laboratory Practice in Tropical Countries Part I, Cambridge University press; UK, 1999
- (10) Monica cheesbrough. District Laboratory Practice in Tropical Countries Part II, Cambridge University press; UK, 2000.
- (11) GILL GV, Beeching NG: Lecture Notes on Tropical Medicine. Fifth edition.UK: Blackwell, 2004
- (12) BEDI YP, a Hand book of Preventive and Social Medicine (for medical and public health students), 1977

Answer key for pre/post tests

Part I: Answer for questions of all categories of health professionals

1. d
2. d
3. e
4. e
5. e
6. True
7. True
8. True
9. True
- 10.False

For Health officers

1. D
2. E
3. E
4. D
5. E

For Nurses

1. E
2. E
3. E

For Environmental Health professionals

1. D
2. E
3. D
4. D
5. A

For Medical laboratory technologists

1. C
2. D
3. D
4. A
5. B
6. C
7. A

